

The background of the entire page is a close-up photograph of several light bulbs hanging from cords. The bulbs vary in shape and size, including standard incandescent bulbs and a large, round, globe-style bulb. They are all illuminated, casting a warm, golden glow. The cords are dark and thin, creating a vertical pattern across the frame. The lighting is soft, with some bulbs in sharp focus and others blurred in the background, creating a sense of depth.

Zico[®]
LIGHTING

WORLDWIDE

YOUR PREMIUM LIGHTING SOLUTIONS PARTNER

2020 LAMP COLLECTION



CONTENTS

05. OUR STORY	15. G45 GOLFBALL	23. T30 TUBE
07. G4 CAPSULE	17. A60 GLS	25. GU10 COB
07. G9 FILAMENT	19. G95 GLOBE	27. VARIATIONS
09. ST26 PIGMY	19. G125 GLOBE	
11. C22 FRENCH CANDLE	21. ST64 SQUIRREL CAGE	
11. C35 FLAME TIP CANDLE	21. T45 RADIO	
13. C35 CANDLE	23. T20 TUBE	

PREMIUM FEATURES



SUPERIOR DIMMING

Aquila by Zico Lighting LED filament lamps use highly sophisticated components. The result is an incredibly smooth dimming curve that works flawlessly across virtually all global mains dimming and control systems. Our ultra-performance driver delivers the highest possible compatibility which offer dimming to zero as a traditional halogen lamp.



FLICKER FREE

Aquila by Zico Lighting premium LED filament lamps use highly specified electronic components that provide flicker free lighting. This technology is perfect for film and theatres, wellness centres and spas, gaming organisations, security camera operation, animal welfare and general health and wellness lighting for the home or office.



HIGH CRI

CRI is the quality of light and is represented by a number from 1 to 100. A CRI of 100 means the light has the same quality as sunlight where colours look natural and real. By installing a Zico Lighting filament lamp with a CRI of up to 95 the light fitting has a much higher quality light promoting a classic light fitting and improving the overall feel of the space.



3 YEAR WARRANTY

Aquila by Zico Lighting use only the best and innovative components allowing us to offer a like for like replacement warranty for our LED filament lamps. Promises of 20 years life expectancy with minimal daily usage is not a credible marketing statement. Three years, 24/7 warranty is what we offer and what we deliver.



OUR STORY

Zico Lighting is a premium lighting manufacturer with a mission to create the finest LED lamps that are environmentally friendly. Founded by a desire to offer the best possible quality available and using the most up to date innovative components and technology, the Zico Lighting brand was created.

Zico Lighting have produced a premium quality range of LED filament lamps, specified by well known lighting and interior design teams across the globe. With the highest quality components and high CRI the Aquila by Zico Lighting filament range offers superior light quality, the smoothest dimming and a 3 year warranty; underpinning the reliability of the technology used in these innovative lamps.

Zico Lighting recently launched our own superior quality GU10 dimmable spot lights including a dim to warm version dimmable from 1800k – 3000k with CRI95. Add 24v CRI95 LED strip with dimmable drivers and we have the capability to design and supply all your lighting needs. As a sales partner to Mode Lighting dimming and controls we are able to ensure both the architectural lighting scheme and the decorative lighting scheme work in complete accord using Mode's finest dimming and control technology.

We are able to offer lighting design for residential and small niche projects based in London. Our designs are aimed at bringing the very best elements of any project to life, ensuring the correct fittings are specified for the correct job. This is combined with our unique understanding of how to get the best quality of light from all decorative fittings through our design and manufacture of the finest LED filament lamps. Our team at Zico have a wealth of knowledge in a number of different sectors from product design, interior design, manufacture and wholesale so we can make sure we are able to provide the right light for the right task.

Royal Households, five star hotel groups, Europe's finest restaurants and discerning private clients are now enjoying the benefits of Zico Lighting. Tested by the leading dimming and control companies Lutron, Mode, Helvar, Eaton, Intecho, Rako and Varilight, we are able to offer an exceptional products at affordable prices.

CALL +44 (0)20 7223 3087
VISIT WWW.ZICO.LIGHTING



G4 CAPSULE



MODEL NO. ZIHP/1.627G4GOB-12V	
CCT	2700K
LED WATTAGE	1.6W
EQUIVALENT	-
LIFETIME	20,000 HRS
LUMEN	160LM
CYCLES ON/OFF	-
STARTING TIME	-
VOLTAGE	12V-24V
POWER FACTOR	>0.65
HZ	50/60HZ
IN-RUSH PROTECTION	-
ENERGY CLASS	-
ANGLE	320°
CRI	90

12V VOLTAGE DIMMABLE DRIVER



MODEL NO. ZIHTDCV/12W12V	
INPUT VOLTAGE	180-240V/AC
INPUT CURRENT	0.2A MAX
AC FREQUENCY	48-62HZ
OUTPUT CURRENT	1000MA 500MA
ON LOAD VOLTAGE	180LM
OUTPUT POWER	12V 24V
POWER FACTOR	>0.95
EFFICIENCY	>80%
RELATIVE HUMIDITY	5~95%
LIFETIME	50000 HRS
THERMAL DISSIPATION	NATURE
ISOLATION VOLTAGE	IN/OUT 3000VAC
SAFETY	EN60598



ANNABEL'S PRIVATE MEMBERS CLUB, MAYFAIR, LONDON

G9 FILAMENT LAMP



MODEL NO. ZIK070R	3W27G9C	3W22G9C	3W22G9A
GLASS FINISH	CLEAR	CLEAR	AMBER
CCT	2700K	2200K	2000K
LED WATTAGE	3W	3W	3W
EQUIVALENT	30W	30W	30W
LIFETIME	30,000 HRS	30,000 HRS	30,000 HRS
LUMEN	250LM	200LM	180LM
CYCLES ON/OFF	100,000	100,000	100,000
STARTING TIME	>0.2 SEC	>0.2 SEC	>0.2 SEC
VOLTAGE	220-265V	220-265V	220V-265V
POWER FACTOR	>0.9	>0.9	>0.9
HZ	50/60HZ	50/60HZ	50/60HZ
IN-RUSH PROTECTION	3000V	3000V	3000V
ENERGY CLASS	A	A	A
ANGLE	360°	360°	360°
CRI	90	95	95

ST26 PIGMY



MODEL NO. ZIK071	1W22E14A	1W27E14C
GLASS FINISH	AMBER	CLEAR
CCT	2000K	2700K
LED WATTAGE	1W	1W
EQUIVALENT	11W	11W
LIFETIME	30,000 HRS	30,000 HRS
LUMEN	60LM	90LM
CYCLES ON/OFF	100,000	100,000
STARTING TIME	>0.2 SEC	>0.2 SEC
VOLTAGE	220V-265V	220V-265V
POWER FACTOR	>0.9	>0.9
HZ	50/60HZ	50/60HZ
IN-RUSH PROTECTION	3000V	3000V
ENERGY CLASS	A	A
ANGLE	320°	320°
SOCKET	E14	E14
CRI	95	90



BAUR AU LAC, ZURICH

C22 FRENCH CANDLE



MODEL NO. ZIK075	2W27E14C	1.5W22E10C
GLASS FINISH	CLEAR	CLEAR
CCT	2700K	2200K
LED WATTAGE	2W	1.5W
EQUIVALENT	25W	25W
LIFETIME	30,000 HRS	30,000 HRS
LUMEN	180LM	120LM
CYCLES ON/OFF	100,000	100,000
STARTING TIME	>0.2 SEC	>0.2 SEC
VOLTAGE	220V-265V	220V-265V
POWER FACTOR	>0.9	>0.9
HZ	50/60HZ	50/60HZ
IN-RUSH PROTECTION	3000V	3000V
ENERGY CLASS	A+	A
ANGLE	320°	320°
SOCKET	E14	E10
CRI	90	95

C35 FLAME TIP CANDLE



MODEL NO. ZIK008FT	6W27E14C
GLASS FINISH	CLEAR
CCT	2700K
LED WATTAGE	6W
EQUIVALENT	40W
LIFETIME	30,000 HRS
LUMEN	490LM
CYCLES ON/OFF	100,000
STARTING TIME	>0.2 SEC
VOLTAGE	220V-265V
POWER FACTOR	>0.9
HZ	50/60HZ
IN-RUSH PROTECTION	3000V
ENERGY CLASS	A
ANGLE	320°
SOCKET	E14
CRI	90



C35 CANDLE



MODEL NO. ZIK008	4W22E14C	4W22E14F	4W22E14A
GLASS FINISH	CLEAR	FROSTED	AMBER
CCT	2200K	2200K	2000K
LED WATTAGE	4W	4W	4W
EQUIVALENT	30W	30W	30W
LIFETIME	30,000 HRS	30,000 HRS	30,000 HRS
LUMEN	280LM	250LM	250LM
CYCLES ON/OFF	100,000	100,000	100,000
STARTING TIME	>0.2 SEC	>0.2 SEC	>0.2 SEC
VOLTAGE	220-265V	220V-265V	220V-265V
POWER FACTOR	>0.9	>0.9	>0.9
HZ	50/60HZ	50/60HZ	50/60HZ
IN-RUSH PROTECTION	3000V	3000V	3000V
ENERGY CLASS	A	A	A
ANGLE	360°	320°	320°
SOCKET	E14, E27	E14	E14, E27, B15, B22
CRI	95	95	95

4W27E14C	4W27E14F	4WDWE14O	4W27E14O	6W27E14C
CLEAR	FROSTED	OPAL MATT	OPAL MATT	CLEAR
2700K	2700K	1800K - 3200K	2700K	2700K
4W	4W	4W	4W	6W
30W	30W	30W	30W	40W
30,000 HRS	30,000 HRS	30,000 HRS	30,000 HRS	30,000 HRS
400LM	360LM	300LM	300LM	490LM
100,000	100,000	100,000	100,000	100,000
>0.2 SEC	>0.2 SEC	>0.2 SEC	>0.2 SEC	>0.2 SEC
220V-265V	220V-265V	220V-265V	220V-265V	220V-265V
>0.9	>0.9	>0.9	>0.9	>0.9
50/60HZ	50/60HZ	50/60HZ	50/60HZ	50/60HZ
3000V	3000V	3000V	3000V	3000V
A+	A	A	A	A+
320°	320°	320°	320°	320°
E14, E27	E14, E27	E14	E14	E14, E27, B22
90	90	90	90	90



TIVOLI CINEMA, BATH

G45 GOLFBALL



MODEL NO. ZIK017	4W22E14A	4W22E14C
GLASS FINISH	AMBER	CLEAR
CCT	2000K	2200K
LED WATTAGE	4W	4W
EQUIVALENT	30W	30W
LIFETIME	30,000 HRS	30,000 HRS
LUMEN	230LM	280LM
CYCLES ON/OFF	100,000	100,000
STARTING TIME	>0.2 SEC	>0.2 SEC
VOLTAGE	220V-265V	220V-265V
POWER FACTOR	>0.9	>0.9
HZ	50/60HZ	50/60HZ
IN-RUSH PROTECTION	3000V	3000V
ENERGY CLASS	A	A
ANGLE	320°	320°
SOCKET	E14, E27, B22	E14, E27
CRI	95	95

MODEL NO. ZIK017	4W22E14F	4W27E14C	4W27E14F	4W27E14O
GLASS FINISH	FROSTED	CLEAR	FROSTED	OPAL
CCT	2200K	2700K	2700K	2700K
LED WATTAGE	4W	4W	4W	4W
EQUIVALENT	30W	30W	30W	30W
LIFETIME	30,000 HRS	30,000 HRS	30,000 HRS	30,000 HRS
LUMEN	250LM	400LM	360LM	300LM
CYCLES ON/OFF	100,000	100,000	100,000	100,000
STARTING TIME	>0.2 SEC	>0.2 SEC	>0.2 SEC	>0.2 SEC
VOLTAGE	220V-265V	220V-265V	220V-265V	220V-265V
POWER FACTOR	>0.9	>0.9	>0.9	>0.9
HZ	50/60HZ	50/60HZ	50/60HZ	50/60HZ
IN-RUSH PROTECTION	3000V	3000V	3000V	3000V
ENERGY CLASS	A	A+	A	A
ANGLE	320°	320°	360°	320°
SOCKET	E14, E27	E14, E27	E14, E27	E14, E27
CRI	95	90	90	90



THE ROYAL ACADEMY OF ARTS, LONDON

A60

A60 GLS



MODEL NO. ZIK031	4W22E27A	6W22E27A	6W22E27C
GLASS FINISH	AMBER	AMBER	CLEAR
CCT	2000K	2000K	2200K
LED WATTAGE	4W	6W	6W
EQUIVALENT	30W	40W	40W
LIFETIME	30,000 HRS	30,000 HRS	30,000 HRS
LUMEN	300LM	400LM	410LM
CYCLES ON/OFF	100,000	100,000	100,000
STARTING TIME	>0.2 SEC	>0.2 SEC	>0.2 SEC
VOLTAGE	220V-265V	220V-265V	220-265V
POWER FACTOR	>0.9	>0.9	>0.9
HZ	50/60HZ	50/60HZ	50/60HZ
IN-RUSH PROTECTION	3000V	3000V	3000V
ENERGY CLASS	A	A	A
ANGLE	320°	320°	360°
SOCKET	E27	E27, B22	E27, B22
CRI	95	95	95

6W22E27	6W27E27C	6W27E27F	6WDWE27O	6W27E27O	6W27E27S	10W27E27C
FROSTED	CLEAR	FROSTED	OPAL	OPAL MATT	SILVER REFLECTOR	CLEAR
2200K	2700K	2700K	1800K – 3200K	2700K	2700K	2700K
6W	6W	6W	6W	6W	6W	10W
40W	40W	40W	40W	40W	40W	70W
30,000 HRS	30,000 HRS	30,000 HRS	30,000 HRS	30,000 HRS	30,000 HRS	30,000 HRS
330LM	650LM	510LM	500LM	500LM	550LM	1000LM
100,000	100,000	100,000	100,000	100,000	100,000	100,000
>0.2 SEC	>0.2 SEC	>0.2 SEC	>0.2 SEC	>0.2 SEC	>0.2 SEC	>0.2 SEC
220V-265V	220V-265V	220V-265V	220V-265V	220V-265V	220V-265V	220V-265V
>0.9	>0.9	>0.9	>0.9	>0.9	>0.9	>0.9
50/60HZ	50/60HZ	50/60HZ	50/60HZ	50/60HZ	50/60HZ	50/60HZ
3000V	3000V	3000V	3000V	3000V	3000V	3000V
A	A+	A	A	A	A	A
320°	320°	320°	320°	320°	320°	320°
E27, B22	E27, B22	E27	E27	E27	E27	E27
95	90	90	90	90	90	90



SMITH & WOLLENSKY, LONDON

G95 GLOBE



MODEL NO. ZIKD048	6W22E27A	6W27E27O
GLASS FINISH	AMBER	OPAL MATT
CCT	2000K	2700K
LED WATTAGE	6W	6W
EQUIVALENT	40W	40W
LIFETIME	30,000 HRS	30,000 HRS
LUMEN	370LM	420LM
CYCLES ON/OFF	100,000	100,000
STARTING TIME	>0.2 SEC	>0.2 SEC
VOLTAGE	220-265V	220V-265V
POWER FACTOR	>0.9	>0.9
HZ	50/60HZ	50/60HZ
IN-RUSH PROTECTION	3000V	3000V
ENERGY CLASS	A	A
ANGLE	320°	320°
SOCKET	E27	E27
CRI	95	90

G125 GLOBE



MODEL NO. ZIKD052	6W22E27A
GLASS FINISH	AMBER
CCT	2000K
LED WATTAGE	6W
EQUIVALENT	40W
LIFETIME	30,000 HRS
LUMEN	370LM
CYCLES ON/OFF	100,000
STARTING TIME	>0.2 SEC
VOLTAGE	220V-265V
POWER FACTOR	>0.9
HZ	50/60HZ
IN-RUSH PROTECTION	3000V
ENERGY CLASS	A
ANGLE	320°
SOCKET	E27
CRI	95



SYROVARNYA BAKU, AZERBAIJAN

ST64 SQUIRREL CAGE



MODEL NO. ZIKD044	2W22E27A	4W22E27A	6W22E27A	6W27E27C
GLASS FINISH	AMBER	AMBER	AMBER	CLEAR
CCT	2000K	2000K	2000K	2700K
LED WATTAGE	2W	4W	6W	6W
EQUIVALENT	25W	30W	40W	40W
LIFETIME	30,000 HRS	30,000 HRS	30,000 HRS	30,000 HRS
LUMEN	160LM	300LM	450LM	600LM
CYCLES ON/OFF	100,000	100,000	100,000	100,000
STARTING TIME	>0.2 SEC	>0.2 SEC	>0.2 SEC	>0.2 SEC
VOLTAGE	220-265V	220-265V	220-265V	220-265V
POWER FACTOR	>0.9	>0.9	>0.9	>0.9
HZ	50/60HZ	50/60HZ	50/60HZ	50/60HZ
IN-RUSH PROTECTION	3000V	3000V	3000V	3000V
ENERGY CLASS	A	A	A	A+
ANGLE	320°	320°	320°	360°
SOCKET	E27	E27	E27, B22	E27
CRI	95	95	95	90

T45 RADIO



MODEL NO. ZIKD059	4.5W22E27A
GLASS FINISH	AMBER
CCT	2000K
LED WATTAGE	4.5W
EQUIVALENT	30W
LIFETIME	30,000 HRS
LUMEN	260LM
CYCLES ON/OFF	100,000
STARTING TIME	>0.2 SEC
VOLTAGE	220-265V
POWER FACTOR	>0.9
HZ	50/60HZ
IN-RUSH PROTECTION	3000V
ENERGY CLASS	A
ANGLE	320°
SOCKET	E27
CRI	95



FOUR SEASONS ASTIR PALACE, GREECE

T20 115MM TUBE



MODEL NO. ZIKD020	2.7W22E14A
GLASS FINISH	AMBER
CCT	2000K
LED WATTAGE	2.7W
EQUIVALENT	25W
LIFETIME	30,000 HRS
LUMEN	150LM
CYCLES ON/OFF	100,000
STARTING TIME	>0.2 SEC
VOLTAGE	220V-265V
POWER FACTOR	>0.9
HZ	50/60HZ
IN-RUSH PROTECTION	3000V
ENERGY CLASS	A
ANGLE	320°
SOCKET	E14
CRI	95

T30 300MM TUBE



MODEL NO. ZIKD067	6W22E27A
GLASS FINISH	AMBER
CCT	2000K
LED WATTAGE	6W
EQUIVALENT	40W
LIFETIME	30,000 HRS
LUMEN	370LM
CYCLES ON/OFF	100,000
STARTING TIME	>0.2 SEC
VOLTAGE	220V-265V
POWER FACTOR	>0.9
HZ	50/60HZ
IN-RUSH PROTECTION	3000V
ENERGY CLASS	A
ANGLE	320°
SOCKET	E27
CRI	95



HARRY'S BAR, LONDON

GU10 COB SPOTLIGHT



MODEL NO. ZIBLGU10/6W2710B

CCT	2700K
LED WATTAGE	6W
EQUIVALENT	50W
LIFETIME	30,000 HRS
LUMEN	450LM
CYCLES ON/OFF	15,000
STARTING TIME	<0.5 SEC

VOLTAGE	220-240V
POWER FACTOR	0.99
IN-RUSH PROTECTION	0.5KV
ENERGY CLASS	A+
ANGLE	10°, 20°, 30°
CRI	95

GU10 COB DIM TO WARM SPOTLIGHT



MODEL NO. ZIBLGU10/7.5WDW25B

CCT	1800-3000K
LED WATTAGE	7.5W
EQUIVALENT	50W
LIFETIME	30,000 HRS
LUMEN	480LM
CYCLES ON/OFF	15,000
STARTING TIME	<0.5 SEC

VOLTAGE	220-240V
POWER FACTOR	0.7
IN-RUSH PROTECTION	0.5KV
ENERGY CLASS	A
ANGLE	25°, 40°
CRI	95



MAYFAIR KITCHEN, EDWARDIAN HOTEL, LONDON

VARIATIONS

SOCKETS



GLASS SHAPE



FINISHES



Zico Lighting are certified and authorised Mode Lighting & Control dealers. Our engineers can provide a wide range of services including consultation, design, specification, supply, installation, programming, support and maintenance. Our team of experts can install, commission, re-program and maintain the following dimming and control manufacturers.

MODE LIGHTING

With over 40 years experience in the lighting industry Mode Lighting are well placed to provide support in the implementation of lighting controls, LED Drivers and components.



SCENESTYLED 4



TIGER PACKS



TIGER PLATES

VARILIGHT

Specialising in dimmer switches, decorative sockets and wiring accessories we have a comprehensive range which now includes dimmable transformers and LED drivers.



POWERGRID COLLECTION



LED DIMMER SERIES



SWITCHES

CONTACT

HEAD OFFICE

ZICO LIGHTING
3rd Floor
207 Regent Street
London
W1B 3HH
United Kingdom
+44 (0) 207 223 3087
admin@zico.lighting

DISTRIBUTORS

AUSTRALIA

Eltad Pty Ltd
Unit 7, Slough Business Park
Rachael Close
Silverwater 2128
Australia
+61 1300 393 311
sales@eltad.com.au

Eltad Pty Ltd
115A Miller Street
Epping VIC 3076
Australia
+61 1300 393 311
sales@eltad.com.au

Eltad Pty
Unit 3, 35 Guthrie Street
Osborne Park WA 6017
Australia
+61 1300 393 311
sales@eltad.com.au

NEW ZEALAND

Elpower NZ
Unit 4 / 1 Hautu Drive
Wiri, Manukau 2104
New Zealand
+64 9250 1110
sales@elpower.co.nz

RESELLERS

ABU DHABI

HUDA Lighting - Abu Dhabi
Bayt Al Tawreed Trading LLC
Airport Rd
Al Niyadi Bldg Office No 901
P.O. Box 75944, Abu Dhabi UAE
+971 2449 8198
yeghya@hudalighting.com

AZERBAIJAN

PASHA CONSTRUCTION
Port Baku Towers
153 Neftchiler Ave
AZ1010, Baku
Azerbaijan
+994 12 404 4800
RYagubov@pashaconstruction.com

BAHRAIN

Aura Global General Trading
Block 303, Road 380
Building No.91, P.O.Box -17450
Bahrain Mall
Manama
+973 3540 9125
Nabeel Ashar info@agtbh.com

CHINA

Circle Limited
Flat 4, 1/F Fullagar Ind Bldg
234 Aberdeen Main Rd
Aberdeen
HONG KONG
+852 2873 3900
info@circle-oo.com

DOHA

HUDA Lighting Specialized
Products Suppliers LLC
a1st Floor, Office No. 2
PO Box 22108, Doha, Qatar
+974 4442 6757
yeghya@hudalighting.com

DUBAI

HUDA Lighting - Dubai
Bayt Al Tawreed Trading LLC
Umm Suqeim Rd Al Quoz
PO Box 212060
Dubai UAE
+971 4341 1301
yeghya@hudalighting.com

EGYPT

El Huda Lighting
12 Ext of Abd El-Hameed Badawi
St - 1172
2nd Floor
Masaken Sheraton
Next to Moror Dept Cairo
+20 2226 99740
nabil@hudalighting.com

FRANCE

Incidence Eclairage 65
Avenue du Général de Gaulle
Champs sur Marne
77420
FRANCE
+033 1 6005 9005
Inoyelle@incidence-eclairage.fr

CONTINUED...

GREECE

Aktor
25, Ermou Str.
14564 Nea Kifisia
Greece
+30 210 818 5000
pgribabis@aktor.gr

ITALY

Italiana Handmade
Via F. Magellano
17 - 35010
Trebaseleghe (PD)
Italy
+39 049 796 1713
tecnico@italianahandmade.com

JORDAN

HUDA Lighting
Building Technology Suppliers
King Abdullah II Bin Al Hussein St
Kalbouneh Center, 1st Floor
P.O. Box 3360
Amman Jordan
+962 6585 4660
suleiman@hudalighting.com

KUWAIT

HUDA Lighting
Khalid Ibn Al Waleed St
Mazaya Tower, 4th Floor
Office No B-1 Sharq
Kuwait City
Kuwait
+965 2206 0837
qader@hudalighting.com

NETHERLANDS

XO Lights Europe
Burgemeester Le Fevre de Montign-
plein 8
3055NL, Rotterdam,
The Netherlands
+31 613 740 383
info@xocompany.org

NORWAY

CP-Norway AS, Fabrikkt. 3
5059 Bergen - Norway
Showrom-Prosjektkontor -Oslo
Hovfaret 4b
0275 Oslo- Norway
+47 552 09700
arne.gronsdal@cp-norway.no

PORTUGAL

VistaVerde
Rua Domingos Sequeira 27
4H
1350-119 Lisboa
PORTUGAL
+351 9183 82761
comercial@vistaverde.pt

SAUDI ARABIA

Horizon Moon International Est.
P.O. Box - 69012
Dammam - 31547
Kingdom of Saudi Arabia
+966 5335 95822
+966 5485 62699
sales@horizonmie.com

SPAIN

Difusiona
Cervantes n° 10
2° Derecha
28014 Madrid
Spain
+34 91 230 78 39
info@difusiona.eu

Difusiona
Provençals 94
08019 Barcelona
Spain
+34 93 362 22 79
info@difusiona.eu

SOUTH AFRICA

Light Kinetics (PTY) Ltd.
Unit 8c, Dartfield Park
Wynberg, Sandton
Johannesburg, 2090
South Africa
+2711-728-1249
info@lightkinetics.com

THAILAND

Mosaic Eins, 43 Thai CC Tower
15th Floor, Room 154
South Sathon Rd,
Yannawa, Sathon
Bangkok 10120 , Thailand
+ 66 2 621 8200
service@mosaiceins.com

VIETNAM

CARA Lighting Solution Co., Ltd.
12-13 Duong N1, Khu TM Nam
KCX Tan Thuan, P. Tan Thuan
Dong, Q.7, Ho Chi Minh City
Vietnam
+84 28 3833 3334
caotran@cara.com.vn

Eurolight Vietnam
184 Hoang Quoc Viet
Hanoi
Vietnam
+84 24 3829 4478
tho.nguyen@eurolight.vn

TURKEY

MTM Tur Kim. Ins. San. Tic. Ltd.
KEMPINSKI ASTORIA TOWER
Büyükdere Cad. No:127/A79
Esentepe, 34394, Sisli
Istanbul, TURKEY
+90 212 356 6560
info@mtmyapi.com

